





LUXPERTEN




Profil LED

LPDUL












White (lacquered) / weiß (lackiert)	Silver (anodized) / Silber (eloxiert)
	

1,0 m	10-0611-10	10-0614-10
2,02 m	10-0611-20	10-0614-20
3,0 m	10-0611-30	10-0614-30
Dimensions / Abmessungen	1000 mm, 2020 mm, 3000 mm	
LED strip width / LED-Streifen Breite	5 × 12 mm	
Application / Anwendungsbereich	Surface-mounted profile – for household and office room illumination – to be used as a pendant lamp with a hidden power supply / Oberflächenprofil – zur Beleuchtung von Wohn- und Büroräumen – Zur Verwendung in Form einer Hängelampe mit versteckter Netzteil	



Covers / Abdeckungen
Dimensions / Abmessungen (mm): 1000,2020,3000

Transparent / transparent	frozen / frostweiß	milky / milchweiß	frosted / frosted	milky frosted / milchig gefr.
DOUBLE				
				
1 m/PMMA 11-2073-10	1 m/PMMA 11-2072-10	1 m/PMMA 11-2071-10	1 m/PMMA 11-2075-10	1 m/PMMA 11-2076-10
WIDE				
				
1 m/PMMA 11-2033-10 1 m/PC 11-3033-10	1 m/PMMA 11-2032-10 1 m/PC 11-3032-10	1 m/PMMA 11-2031-10 1 m/PC 11-3031-10	1 m/PMMA 11-2035-10	1 m/PMMA 11-2036-10



LUXPERTEN

www.luxperten.com



LUXPERTEN


End caps for LED profile LPDUL (aluminium) / Endkappen für LED-Profil LPDUL (Aluminium)

with a hole / mit Öffnung		without a hole / ohne Öffnung	
white / weiß	silver / silber	white / weiß	silver / silber

DULIO

			
ALU 12-1151-10	ALU 12-1155-10	ALU 12-1151-11	ALU 12-1155-11

Accessories / Zubehör

straight connector / gerader Verbinder	angular connector 90° / Flacher Winkelverbinder 90°	Angular transverse connector / Quer Winkelverbinder 90°	angular connector 120° / Flacher Winkelverbinder 120°	Y-type pendants / Y-Aufhängung
				
14-3032-02	14-3030-01	14-3038-01	14-3036-01	14-2058-00